

SHYH SING ENTERPRISE CO., LTD NO. 77, LANE 540, SEC.1, SHENLIN RD., DAYA DIST., TAICHUNG, TAIWAN. TEL: 886-4-25651459 FAX: 886-4-25600459 E-MAIL: SHYHSING@GMAIL.COM

Personal Security & Defense Products

Stun gun Personal Alarm Expandable Baton Metal Detector Pepper Spray Police Equipment



SHYH SING Enterprise Co., Ltd. is the company which specializes in the R&D, manufacture, production and sale of personal defense products and police or military security products, including multi-functional stun guns, metal detectors, multi-alarms, pepper sprayers, multi-functional sprayers, flash batons, extendable batons, bullet proof vests, shields, and handcuffs. All the products have been tested by professional. In the professional manufacturer and standard testing, we offer the good quality products. It's our responsibility to make the R&D of new products continuously and satisfy customer's need. It's also our target to create the products with low cost.

We have been specializing in producing personal security products for more than 17 years. We started from 1996, have good experience for foreign trade, we have provide our products to many areas, like Germany, Nigeria, Honduras, Japan and so on, with superior quality and competitive price.



CONTENTS

Click the word to view the item.

STUN GUN

STUN BATON

EXPANDABLE STUN BATON

HAND HELD METAL DETECTOR

PERSONAL ALARM

PEPPER SPRAY

EXPANDABLE BATON & TONFA

HANDCUFF & LEGCUFF

TRAFFIC BATON

ANTI-RIOT ELECTRIC SHIELD

NET GUN & T TYPE AIRSOFT BATON





 \rightarrow Back to Contents



<u>→Back to Contents</u>

HAND HELD METAL DETECTOR

MD-V2 Alarm & Vibration Type

- Size: 405 x 71 x 35 mm
- \cdot 1 pc 9V Alkaline battery or rechargeable battery
- Weight : 257g
- · Usage time: 20hrs continuously
- \cdot Can work in Alarm type or Vibration Type.
- Functions: Special attention should be given to the waist, underwear, and ankle areas.
- \cdot The other small nail, pin, and so on.
- \cdot For the safety guard and find out the metals.

MD-V2-1 Alarm & Vibration Type

- Size: 378 x 68 x 34 mm
- 1 pc 9V Alkaline battery or rechargeable battery
- Weight : 260g
- · Usage time: 20hrs continuously
- · Can work in Alarm type or Vibration Type.
- Functions: Special attention should be given to the waist, underwear, and ankle areas.
- \cdot The other small nail, pin, and so on.
- \cdot For the safety guard and find out the metals.
- Indication light: Smart red, yellow, and green-stage LED light bulb indicates the amount of electricity, and a red LED lights.
- \cdot LED light display: There are nine LED lights: Yellowish green, orange, red, all for three. From left to right to display the amount of light detected. Object the size of its metal content.

MD-S2 Alarm Type

- · Size: 405 x 71 x 35 mm
- 1 pc 9V Alkaline battery or rechargeable battery
- Weight : 257g
- · Usage time: 20hrs continuously
- \cdot Functions: Special attention should be given to the waist, underwear, and ankle areas.
- \cdot The other small nail, pin, and so on.
- \cdot For the safety guard and find out the metals.

<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>

SH-995-2 Multi-Function Personal Alarm

- · Functions: Alarm / Anti-steal / Anti-rob / Light / LED Hidden camera detection
- · Alarm: 120db
- Size: 70 x 42 x 31.5mm
- · 2pcs 1.5V battery #5
- \cdot Safety Pin
- \cdot With Door Alarm Accessory
- · Weight: 69g



PEPPER SPRAY

- Active Ingredient: Oleoresin of Capsaicin(OC) 10%.
- · Inert Ingredient: HFC R-134a 90%.
- · Content is non-toxic, non-inflammable, environmental safe and in a high pressure aerosol can.
- · Heat Unit: 2milliom

SH-912 25ml Key Chain Type

- \cdot Content: 25ml
- \cdot Continuous spray time: 10 to 15 seconds
- \cdot Intermittent spray time: 30 times
- \cdot Effective range: 2 to 3 meters
- · Dimensions: 25 x 80mm
- Net Weight: 30g
- Package: Blister film packaging with a sliding card



SH-912-1 40ml Key Chain Type

- \cdot Content: 40ml
- \cdot Continuous spray time: 15 to 25 seconds
- \cdot Intermittent spray time: 30 times
- \cdot Effective range: 2 to 3 meters
- \cdot Dimensions: 25 x 100mm
- \cdot Net Weight: 50g
- Package: Box

SH-912-2 20ml

- · Content: 20ml
- \cdot Continuous spray time: 5 to 10 seconds
- · Intermittent spray time: 15 times
- \cdot Effective range: 2 to 3 meters
- · Dimensions: 22 x 98mm
- \cdot Net Weight: 30g
- Package: Blister film packaging with a sliding card



SH-912-3 60ml

- · Content: 60ml
- Continuous spray time: 20 to 25 seconds
- \cdot Effective range: 2 to 3 meters
- \cdot Dimensions: 35 x 129mm
- Net Weight: 110g
- Package: Blister film packaging with a sliding card



SH-912-4 20ml Key Chain Type

- · Content: 20ml
- \cdot Color: Pink, Golden
- · Continuous spray time: 5 to 10 seconds
- · Intermittent spray time: 15 times
- \cdot Effective range: 2 to 3 meters
- · Dimensions: 22 x 98mm
- Net Weight: 30g
- Package: Blister film packaging with a sliding card



SH-912-6 20ml Lipstick Type

- · Content: 20ml
- \cdot Color: black, pink, silver, blue. red. Purple
- \cdot Continuous spray time: 5 to 10 seconds
- \cdot Intermittent spray time: 15 times
- \cdot Effective range: 2 to 3 meters
- · Dimensions: 23 x 98mm
- Net Weight: 30g
- Package: Blister film packaging with a sliding card

SH-912-7 260ml, 370ml, 470ml

- \cdot Content: 260ml, 370ml, 470ml
- \cdot Effective range: 2 to 3 meters
- \cdot Dimensions: 50 x 190mm
- Net Weight: 300~600g
- · Package: Box





SH-6013 LED Flashlight for Expandable Baton

- \cdot Mini FOCUSING flashlight with super white beam
- Patent design switch to turn on/off light
- \cdot Can be combined with pepper spray or metal baton
- Easily to replace batteries
- \cdot Life time of LED is up to 10,000 hours
- · Battery life time is up to 48 hours of continuing lighting
- · Compact and lightweight to carry
- · One year warranty under normal using
- MOQ: 100pcs

→Back to Contents



SH-501, SH-502, SH-503, SH-512 Kubotan

- · Material: Aluminum
- Types: Flat, Pointed, 4 notch
- \cdot Size: 15cm (long) x 1.5 cm (diameter)
- Flat type color:
 Black (SH-B501)
 Silver (SH-S501)
 Red (SH-R501)
 Blue (SH-BL501)



Pointed type color
Black (SH-B502)
Silver (SH-S502)
Red (SH-R502)
Blue (SH-BL502)
Gold (SH-G502)



4 notch color:
Black (SH-B503)
Silver (SH-S503)
Red (SH-R503)
Blue (SH-BL503)
Green (SH-GR503)
Purple (SH-P503)
Titanium gray(SH-TG503)



Black (SH-B512) Silver (SH-S512) Red (SH-R512) Blue (SH-BL512) Gold (SH-G512) Green (SH-GR512) Purple (SH-P512) Titanium gray(SH-TG512)

HANDCUFF & LEGCUFF

SH-904-1 Stainless Steel Handcuff

- · Material: Stainless Steel
- Engaging first gear when maximum internal diameter: 50mm
- Engaging the last foot minimum inner diameter: 75mm
- · Specification:T2.5 x L230mm
- Weight:276g
- · Teeth: 20(have trench)
- · Chain:54mm
- · Key: two keys

SH-904-1(H) Stainless Steel

Handcuff Hardening Heat Treatment

- · Material: Stainless Steel (Hardening heat treatment)
- Engaging first gear when maximum internal diameter: 50mm
- Engaging the last foot minimum inner diameter: 75mm
- \cdot Specification:T2.5 x L230mm
- Weight:276g
- · Teeth: 20(have trench)
- \cdot Chain:54mm
- · Key: two keys

SH-904-1(L) Stainless Steel Handcuff Large

- Material: Stainless Steel
- Engaging first gear when maximum internal diameter: 54mm
- Engaging the last foot minimum inner diameter: 82mm
- · Specification:T2.5 x L230mm
- Weight:298g
- · Teeth: 20(have trench)
- · Chain:54mm
- · Key: two keys

SH-904-2 Nickel-Plated Handcuff

- Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 50mm
- engaging the last foot minimum inner diameter:
 75mm
- · Specification:T2.5 * L230mm
- Weight:285g
- \cdot Teeth: 20 (have trench)
- · Chain:54mm
- · Key: two keys

SH-904-1(HL) Stainless Steel

Handcuff Hardening Heat Treatment Large

- Material: Stainless Steel (Hardening heat treatment)
 Engaging first gear when maximum internal
- diameter: 54mm
- Engaging the last foot minimum inner diameter: 82mm
- \cdot Specification:T2.5 x L230mm
- Weight:298g
- · Teeth: 20(have trench)
- \cdot Chain:54mm
- · Key: two keys

SH-904-2(L) Nickel-Plated

Handcuff Large

- Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 54mm
- engaging the last foot minimum inner diameter:
 82mm
- · Specification:T2.5 * L230mm
- · Weight:298g
- \cdot Teeth: 20 (have trench)
- · Chain:54mm
- · Key: two keys

SH-904-3 Nickel-Plated Handcuff

- Material: Iron
- · Plating: Nickel-plated
- Engaging first gear when maximum internal diameter: 50mm
- Engaging the last foot minimum inner diameter: 75mm
- Specification:T2.5 X L230mm
- Weight:288g
- · Teeth: 20(no trench)
- · Chain:54mm
- Key: two keys

SH-904-4 Toy Handcuff

- Material: Iron
- · Plating: Electro galvanize
- Engaging first gear when maximum internal diameter: 50mm
- Engaging the last foot minimum inner diameter: 75mm
- · Specification: T1.8 X L270mm
- Weight:220g
- · Teeth: 9 (no trench)
- · Chain:57mm

• Key: two keys

SH-904-3(L) Nickel-Plated Handcuff Large

- \cdot Material: Iron
- \cdot Plating: Nickel-plated
- Engaging first gear when maximum internal diameter: 54mm
- Engaging the last foot minimum inner diameter: 82mm
- · Specification:T2.5 X L230mm
- \cdot Weight:298g
- · Teeth: 20(no trench)
- \cdot Chain:54mm
- \cdot Key: two keys

SH-905 Toy Handcuff

- \cdot Material: Iron
- \cdot Plating: Electro galvanize
- Engaging first gear when maximum internal diameter: 54mm
- Engaging the last foot minimum inner diameter: 82mm
- · Specification: T2.5
- Weight:106.5g
- \cdot Teeth: 20 (no trench)
- · Key: two keys



SH-DH Stainless Steel Handcuff

- · Material: Stainless Steel
- engaging first gear when maximum internal diameter: 60mm
- \cdot engaging the last foot minimum inner diameter: 80mm
- \cdot Specification: T1.0 x L210mm
- · Weight:338g
- \cdot Teeth: 21(have trench)
- · Key: two keys

SH-TH Triple Chain Handcuff

- \cdot Material: Iron
- \cdot Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 60mm
- engaging the last foot minimum inner diameter: 80mm
- · Specification: T205*L192mm
- · Weight: 330g
- · Teeth: 19(have trench)
- \cdot Key: two keys


SH-H Thumb Cuffs

- \cdot Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 13mm
- engaging the last foot minimum inner diameter:
 24mm
- · Specification: T1.8xL103mm
- · Weight:113g
- \cdot Key: two keys



SH-905-4 610g Legcuff

- Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 70mm
- engaging the last foot minimum inner diameter:
 90mm
- · Specification: T2.5xL720mm
- Weight: 610g
- Key: two keys (no trench)



SH-905-1(B) 440g Legcuff

- \cdot Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 70mm
- engaging the last foot minimum inner diameter: 90mm
- Specification: T2.2xL680mm (have trench)
- · Weight: 440g



SH-905-5 1kg Legcuff

- Material: Iron
- · Plating: Nickel-plated
- engaging first gear when maximum internal diameter: 70mm
- engaging the last foot minimum inner diameter:
 90mm
- \cdot Specification: L560mm
- · Weight: 1000g
- Key: two keys (no trench)



TRAFFIC BATON

SH-908-A Normal Flash Mode

- Outer Tube Material: Impact-proof PC.
 Inside Tube Material: Impact-proof PVC in red color.
- · Thickness: 5mm±0.1mm
- · Length: 55cm
- \cdot Weight: 258g (not include battery)
- \cdot LED Color: Red
- Power source:
 2pcs UM-1 alkaline batteries

SH-908-B Multi-function Mode

- Outer Tube Material: Impact-proof PC.
 Inside Tube Material: Impact-proof PVC in red color.
- · Siren: 120db
- · Flashlight
- Thickness: 5mm±0.1mm
- · Length: 56.6cm
- Weight: 283g (not include battery)
- · LED Color: Red
- \cdot Power source:
- 2pcs UM-1 alkaline batteries

SH-909 Reflective Baton

- · Outer Tube Material: Impact-proof PC.
- Inside Tube Material: Impact-proof PVC in transparent color or red color.
- Non-slip ABS hand grip, grip length: 8.5 cm(for 38cm type), 14.5cm(for 43cm type).
- Thickness: 5mm±0.1mm
- Length of traffic baton: 38cm, 43cm or 55cm±5% (include hand grip)
- · Color: Red and Blue (option: green)
- Seven section: Red, Red flash fast, Blue, Blue flash fast, Red and blue flash by turn, Red and blue flash fast by turn, Flashlight, OFF.
- Flashlight: 1W high bright Clear LED, effective range reaches 20m.
- \cdot Double color reflective LED 5,000mcd
- · High decibel of whistle: 110dB.
- Fluorescent tube with spiral pattern increases the flashing illumination.
- Powerful magnetism of magnet N-35, it could be placed tight on the metal product.
- · Power source: 3pcs 1.5V 3AAA batteries.

ANTI-RIOT ELECTRIC SHIELD

SH-902 Rectangular Type

- High voltage electric shock: 150 KV
- · Siren: 120 db high pitch tone
- Power consumption: 4.8V
- · Power emitting period: 30-40 minutes
- · Current emit: low current 1.7 M.A
- \cdot Material: Impact resistant polycarbonate (Transparent).
- · Size: W58cm x H90cm
- · Thickness: 4 mm
- Electric shock panel: two 45 cm long electric shock panel with four electric shock head.



- High voltage electric shock: 150 KV
- \cdot Siren: 120 db high pitch tone
- Power consumption: 4.8V
- · Power emitting period: 30-40 minutes
- · Current emit: low current 1.7 M.A
- \cdot Material: Impact resistant polycarbonate (Transparent).
- · Thickness: 4 mm
- \cdot Electric shock panel: two 45 cm long electric shock panel with four electric shock head.



NET GUN

- \cdot Material: Aluminum alloy
- \cdot Weight for Aluminum alloy ball: Approx. 13g/pc
- \cdot Quantity for a luminum alloy ball: 8pcs
- \cdot Effective catching distance: Up to 10 m
- \cdot Optimum distance: 5-8 m
- \cdot Net area (unrolled): Around $9M^{\scriptscriptstyle 2}$
- \cdot Mesh size: Around 15cm²
- \cdot Power plant: 12 grams CO2 gas bottle (disposable)
- \cdot Net projection velocity: 10m/sec.
- · Net Weight: 1.1Kgs
- Dimension: § 72 x § 48 x 250mm



NET GUN

MULTI-FUNCTIONAL AIRSOFT BATON

SH-T3 Multi-functional Airsoft Baton(Tonfa)

· Material: Aluminum alloy, fiber glass, reinforced artificial resin

 \rightarrow Back to Contents

- · Length of shaft: 60cm
- · Handle height: 18cm
- · Shaft diameter: 32mm
- · Ball caliber: 17mm(0.68inch)
- · Magazine capacity: 7 rounds
- · Shooting mode: One shot, Semi-Auto
- Power: 12g CO2 (able to give 14 shots)
- Muzzle velocity: 355FPS(110m /sec)
- Effective range: 25m
- · Weight: 1.1kgs